

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>5</sup> :</b>  <b>C11D 1/29, 1/86</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 93/17084</b>  <b>(43) International Publication Date:</b> 2 September 1993 (02.09.93)
<b>(21) International Application Number:</b> PCT/US93/01156 <b>(22) International Filing Date:</b> 8 February 1993 (08.02.93)  <b>(30) Priority data:</b> 4/69607 19 February 1992 (19.02.92) JP 4/74509 30 March 1992 (30.03.92) JP  <b>(71) Applicant (for all designated States except US):</b> THE PROCTER & GAMBLE COMPANY [US/US]; One Procter & Gamble Plaza, Cincinnati, OH 45202 (US).  <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only) :</b> OKABE, Yuko [JP/JP]; 4-10, Shigino-Nishi, Joto-ku, Osaka (JP). DAIKI, Mayumi [JP/JP]; 17-1-503, Shimizu-cho, Kisshoin Minami-ku, Kyoto (JP). OHTANI, Ryohei [JP/JP]; 1-5, Arujihara-cho, Ibaraki-shi, Osaka (JP).		<b>(74) Agents:</b> REED, T., David et al.; The Procter & Gamble Company, 5299 Spring Grove Avenue, Cincinnati, OH 45202 (US).  <b>(81) Designated States:</b> AU, BB, BG, BR, CA, CZ, FI, HU, JP, KP, KR, LK, MG, MN, MW, NO, NZ, PL, RO, RU, SD, SK, UA, US, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG).  <b>Published</b> <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
<b>(54) Title:</b> AQUEOUS HARD SURFACE DETERGENT COMPOSITIONS CONTAINING CALCIUM IONS  <b>(57) Abstract</b>  An aqueous hard surface detergent composition which provides improved solution feel comprising 3-35 % by weight of a surfactant system selected from the group consisting of anionic, nonionic, amphoteric surfactants, and mixtures thereof and 0.01-0.5 % by weight calcium ion.		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	MR	Mauritania
AU	Australia	GA	Gabon	MW	Malawi
BB	Barbados	GB	United Kingdom	NL	Netherlands
BE	Belgium	GN	Guinea	NO	Norway
BF	Burkina Faso	GR	Greece	NZ	New Zealand
BG	Bulgaria	HU	Hungary	PL	Poland
BJ	Benin	IE	Ireland	PT	Portugal
BR	Brazil	IT	Italy	RO	Romania
CA	Canada	JP	Japan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SK	Slovak Republic
CI	Côte d'Ivoire	LJ	Liechtenstein	SN	Senegal
CM	Cameroon	LK	Sri Lanka	SU	Soviet Union
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	MC	Monaco	TG	Togo
DE	Germany	MG	Madagascar	UA	Ukraine
DK	Denmark	ML	Mali	US	United States of America
ES	Spain	MN	Mongolia	VN	Viet Nam
FI	Finland				

## AQUEOUS HARD SURFACE DETERGENT COMPOSITIONS CONTAINING CALCIUM IONS

### TECHNICAL FIELD

The present invention relates to an aqueous hard surface detergent composition containing calcium ion which provides improved solution feel without deteriorating storage stability of the composition. The composition is particularly useful for dishwashing liquids, more particularly under soft water conditions.

### BACKGROUND

Anionic surfactants such as alkyl ethoxy sulfates with short ethylene oxide chains, alkyl sulfates, alkyl benzene sulfonates,  $\alpha$ -olefin sulfonates, and alkyl ethoxy carboxylates are known to be very effective for hard surface cleaning, but are also known to have more or less unfavorable "slippery" feel in use. This undesirable attribute is a problem to hard surface cleaning compositions, especially for dishwashing purposes.

There is therefore a considerable demand for a hard surface detergent composition which has good detergency and good storage stability while having good solution feel when cleaning and rinsing, particularly for dishwashing purposes. As defined herein, good solution feel is best defined as the absence of "slippery" or "slimy" feel, or a "draggy" kind of feel which one feels when the composition is in use. "Good solution feel" is an important attribute for commercial liquid detergent products. Those wash solutions which have good solution feel on hands and objects to be cleaned allow easy handling of the objects, and provide good rinsing characters. Such benefits are most appreciated for dishwashing purposes.

Many attempts have been made to improve solution feel using various technology. These attempts are usually directed towards the use of nonionic-type surfactants, and other suds enhancing-type and solvent-type components.

- 2 -

Generally, these compositions have sacrificed detergency to obtain the improved solution feel.

Kokoku 46-43550 (Kao Corporation) teaches a liquid detergent composition which is mild to skin and has good detergency comprising alkaline earth metal salts of certain alkyl alkylene-oxy sulfate and certain alkyl alkylene-oxy carboxylates.

Kokai 51-125405 (The Procter & Gamble Company) teaches compositions comprising calcium and magnesium salts of anionic surfactants including alkyl ether sulfates and amine oxides, C<sub>1-5</sub> alkanols and water, wherein the weight ratio of amine oxide to anionic surfactant is 1:100 to 1:2. Up to about 25% of the anionic surfactants can be monovalent salts.

U.S. Patent 2,766,212 (General Aniline and Film Corporation) teaches compositions which comprise alkyl ether alkoxy sulfate salts and water soluble polyvalent salts of magnesium, calcium, iron, or aluminum of 5 - 50% by weight of the surfactant. Examples show compositions comprising at least 70% of the anionic surfactant in which magnesium and calcium ions help detergency.

U.S. Patent 4,681,704 (The Procter & Gamble Company) teaches a detergent composition with effective grease removal comprising 10 - 50% alkaline earth metal salt, preferably magnesium, of anionic surfactants, 0.5 - 10% amine oxides, and 0.5 - 15% betaines.

However, the above mentioned disclosures use alkaline earth metals mainly for their cleaning benefits, and do not disclose or suggest the improvement to solution feel benefits contributed by calcium ions. Further, the compositions of the above mentioned disclosures have high divalent ion levels, so that they would be unstable upon storage in the context of the present invention, namely, would form undesirable precipitates of calcium. Preferred compositions and examples shown in the above disclosures also have high surfactant levels, and thus the amount of calcium needed to reduce or eliminate

- 3 -

the "slippery feel" of the composition would place the composition into a phase where calcium is believed to easily precipitate.

Here, it has been found that by using calcium ions at a certain low level, a composition which provides improved solution feel without deteriorating storage stability is obtained.

### OBJECT OF INVENTION

It is an object of the present invention to provide a clear aqueous hard surface detergent composition which has improved solution feel in use without deteriorating storage stability of the composition.

It is also an object of the present invention to provide a liquid hard surface detergent composition which has balanced good quality in detergency, solution feel, and storage stability.

It is further an object of the present invention to provide a method of improving the solution feel of an aqueous hard surface detergent composition or a wash solution of an aqueous hard surface detergent composition by adding calcium ion to said composition.

### DETAIL DESCRIPTION

The present invention relates to an aqueous hard surface detergent composition which provides improved solution feel comprising:

(1) 3 - 35% by weight of a surfactant system selected from the group consisting of anionic, nonionic, amphoteric surfactants, and mixtures thereof, comprising:

a. at least 3% by weight of the composition and at least 20% by weight of the surfactant system alkyl ethoxy sulfate with an alkyl group of C<sub>10-16</sub> and an average of 1 - 10 moles of ethylene oxide per molecule;

- 4 -

b. other anionic surfactants selected from the group consisting of alkyl benzene sulfonates,  $\alpha$ -olefin sulfonates, alkyl ethoxy carboxylates, and mixtures thereof;

c. 0 - 9% by weight of the composition diethanol amide with an alkyl chain of C<sub>8-20</sub>;

d. 0 - 10% by weight of the composition amine oxide with an alkyl chain of C<sub>8-16</sub>; and

(2) 0.01 - 0.5% by weight calcium ion;  
wherein at least 20% by weight of the surfactant system comprises the total of component a, b, c, and d.

The present invention also relates to a method of improving the solution feel of an aqueous hard surface detergent composition or a wash solution of an aqueous hard surface detergent composition by adding calcium ion to said composition.

The composition has less of an unacceptable slippery feel, and is easy to handle when cleaning and rinsing. The compositions of the present invention have good storage stability, that is, the composition is stable in ordinary use conditions, more specifically, it does not generate precipitation or gel in the temperature range of from -5°C to 40°C.

#### Anionic Surfactant

The compositions of the present invention comprise 15 - 35%, preferably 20 - 30% by weight surfactant system selected from the group consisting of anionic, nonionic, amphoteric surfactants, and mixtures thereof. At least 20%, preferably at least 40%, more preferably at least 60%, by weight of the surfactant system is the sum of anionic surfactants, diethanol amide, and amine oxide. Among the anionic surfactants, at least 3%, preferably at least 8%, more preferably at least 12%, of the composition is alkyl ethoxy sulfate

- 5 -

with an alkyl group of C<sub>10-16</sub> and an average of 1 - 10 moles, more preferably 2 - 5 moles, of ethylene oxide per molecule.

The anionic surfactants are selected from said alkyl ethoxy sulfates, alkyl sulfates, alkyl benzene sulfonates,  $\alpha$ -olefin sulfonates, alkyl ethoxy carboxylates, and mixtures thereof.

Alkyl ethoxy sulfate, particularly having an alkyl group of C<sub>10-16</sub> and an average of 1 - 10 moles, preferably 2 - 5 moles, more preferably 2.5 - 3.5 moles, of ethylene oxide per molecule, provides good detergency and less negative effect on solution feel. Furthermore, compositions including a considerable amount of such alkyl ethoxy sulfates are susceptible to the effect of improved solution feel due to calcium ions. The average number of moles of ethylene oxide per molecule of the alkyl ethoxy sulfates can change the character of the surfactant. Here, alkyl sulfate is dealt as an alkyl ethoxy sulfate having 0 moles of ethylene oxide per molecule. Generally, it is known that the longer the ethylene oxide chain contribute less to poor solution feel, but have poorer detergency performance. Those which have less than an average ethylene oxide chain of 1 moles per molecule by themselves will contribute to poor solution feel.

The salts for the anionic surfactant component can be alkali metal, alkali earth metal, amines, or ammonium salts, preferably sodium or ammonium salts. Alkali earth metal salts of these surfactants are known for good detergency and sudsing. Some or all of the calcium ion of the present composition can be introduced as calcium salts of the anionic surfactant.

#### Other Surfactants


The compositions of the present invention comprise, for the balance of the surfactant system, other anionic surfactants, nonionic surfactant and amphoteric surfactants. These surfactants are formulated in the compositions of the present invention to enhance detergency, and to enhance and stabilize suds. The species and levels of the other anionic, nonionic and amphoteric

- 6 -

surfactants are chosen in order to obtain optimum balance of detergency, solution feel, and storage stability.


The compositions of the present invention can contain nonionic surfactants such as diethanol amides and amine oxides. 0 - 9%, preferably 4 - 7% by weight of diethanol amide and 0 - 10% preferably 2 - 5% by weight of amine oxide is contained in the composition. These two surfactants are known to provide good detergency and good storage stability, but can negatively effect solution feel. The use of calcium ion to improve solution feel is particularly useful in composition comprising diethanol amide and/or amine oxide.

Diethanol amide useful in the present invention has the formula



wherein  $\text{R}^1$  is selected from an alkyl chain of  $\text{C}_8\text{-20}$ , preferably  $\text{C}_{12}\text{-14}$ .

Amine oxide useful in the present invention has the formula



wherein  $\text{R}^2$  is selected from an alkyl chain of  $\text{C}_8\text{-20}$ , preferably  $\text{C}_{12}\text{-14}$ .

### Calcium

It has been found that by incorporating low levels of calcium ions, balanced benefits in solution feel and storage stability are obtained. The effect of the addition of low levels of calcium ion into dishwashing compositions is particularly beneficial under low hardness water conditions, where the amount of calcium introduced from tap water is low.

Calcium ions are added to the composition at levels of 0.01 - 0.5%, preferably 0.1 - 0.5%, most preferably 0.1 - 0.3%. At lower calcium levels, no effect on solution feel will be observed. At higher calcium levels, storage



- 7 -

stability will not be good. That is, it is known that calcium ions are relatively easily precipitated at high temperature conditions, and thus are apt to deteriorate storage stability when added at high levels. Calcium ions are further known to contribute to detergency, particularly to grease removal. By selecting a calcium level in the above range, a composition having all three important benefits are obtained; good solution feel, good grease removal, and good storage stability.

The compositions of the present invention must have less than 35% total surfactants to avoid precipitation of the calcium which is present at a level sufficient to improve solution feel. If the surfactant level is too high, the maximum amount of calcium that can be added without forming calcium precipitation would not be sufficient to improve solution feel to the composition.

The calcium ions can be incorporated in the composition in any convenient way, so long as the salts containing calcium ions are soluble in water and do not precipitate under ordinary use conditions. A suitable way of incorporating calcium ions is by adding them as salts selected from the group consisting of chloride, hydroxide, oxide, acetate, nitrate, formate, and mixtures thereof. Chloride salts are most preferred.

Alternately, calcium ions can also be incorporated as counter-ions of anionic surfactants, such as by neutralizing the acid form of anionic surfactants with calcium oxide or calcium hydroxide, without affecting the benefits thereof.

The preferred composition of the present invention comprises:

- (1) 20 - 30% by weight of a surfactant system selected from the group consisting of anionic, nonionic, amphoteric surfactants, and mixtures thereof, comprising:
  - a. at least 35% by weight of the surfactant system alkyl ethoxy sulfate with an alkyl group of C<sub>10-16</sub> and an average of 2.5 - 3.5 ethylene oxide per molecule;

- 8 -

b. 4 - 7% by weight of the composition diethanol amide with an alkyl chain of C<sub>8</sub>-20;

c. 2 - 5 by weight of the composition amine oxide with an alkyl chain of C<sub>8</sub>-16;

(2) 0.1 - 0.3% by weight calcium ion; and


(3) 0.1 - 1% by weight magnesium ion.

#### Optional Components

The compositions of the present invention can optionally contain components in addition to those already disclosed herein.


Optional surfactants useful in the composition of the present invention are those such as monoethanol amides, polyhydroxy fatty acid amides, alkyl polyglucosides, and alkyl ethoxylates.

Monoethanol amide is an optional surfactant in the present invention, having the formula



wherein R<sup>3</sup> is selected from an alkyl chain of C<sub>8</sub>-20, preferably C<sub>12</sub>-14.

Polyhydroxy fatty acid amide is an optional surfactant in the present invention, having the formula




wherein R<sup>4</sup> is H, C<sub>1-4</sub> hydrocarbonyl, 2-hydroxy ethyl, 2-hydroxy propyl, or a mixture thereof, preferably C<sub>1-4</sub> alkyl, more preferably methyl; and R<sup>5</sup> is C<sub>5-31</sub> hydrocarbonyl, preferably straight-chain C<sub>10-16</sub> alkyl; and Z is

- 9 -

polyhydroxyhydrocarbyl having a linear hydrocarbyl chain with at least 3 hydroxyls directly connected to the chain, or an alkoxyated derivative (preferably ethoxylated or propoxylated) thereof. Z preferably will be derived from a reducing sugar in a reductive amination reaction; more preferably Z is glycidyl. Suitable reducing sugars include glucose, fructose, maltose, lactose, galactose, mannose, and xylose.

Alkyl polyglucoside is an optional surfactant in the present invention, having the formula




wherein  $R^6$  is selected from the group consisting of alkyl, alkylphenyl, hydroxyalkyl, hydroxyalkylphenyl, and mixtures thereof in which the alkyl groups are  $C_{10-18}$ , preferably  $C_{12-14}$ , m is 2 or 3, preferably 2; p is from 0 to about 10, preferably 0; and q is 1.3 - 10, preferably 1.3 - 3, most preferably 1.3 - 2.7. To prepare these compounds the alcohol or alkylpolyethoxy alcohol is formed first and then reacted with glucose, or a source of glucose, to form the glucoside (attachment at the 1-position). The additional glycosyl units can then be attached between their 1-position and the preceding glycosyl units 2-, 3-, 4- and/or 6-position, preferably predominately the 2-position.

Alkyl ethoxylate is an optional surfactant in the present invention. Such alkyl ethoxylates are aliphatic alcohols with 1 - 25 moles of ethylene oxide. The alkyl chain of the aliphatic alcohol can either be straight or branched, primary or secondary, and generally contains 8 - 22 carbon atoms. Particularly preferred are the condensation products of alcohols having an alkyl group containing 8 - 20 carbon atoms with 2 - 10 moles of ethylene oxide per mole of alcohol. Most preferred are the condensation products of alcohols having an alkyl group containing 8 - 14 carbon atoms with 6 - 10 moles of ethylene oxide per mole of alcohol.

Amphoteric surfactants optionally included in the present invention are

- 10 -

betaines having the formula



wherein  $\text{R}^7$  is a  $\text{C}_{7-21}$  alkyl group, or alkylaryl group, preferably  $\text{C}_{9-17}$ ;  $\text{R}^8$  is hydrogen or a  $\text{C}_{1-6}$  alkyl group, preferably  $\text{C}_{1-3}$ ;  $\text{R}^9$  is a  $\text{C}_{1-10}$  alkylene group, preferably  $\text{C}_{2-6}$ , most preferably  $\text{C}_3$ ; each  $\text{R}^{10}$  is a  $\text{C}_{1-6}$  alkyl or hydroxy alkyl group, preferably  $\text{C}_{1-3}$ , most preferably methyl or an ethoxylated hydroxy alkyl containing from about 1 to about 10 ethylene oxide units; and  $\text{R}^{11}$  is an  $\text{C}_{1-6}$  alkylene group, preferably methyl.

Magnesium ions at a level of 0.1 - 1% are preferably included in the composition of the present invention to improve detergency without affecting good solution feel and good storage stability of the composition.

The compositions of the present invention can also comprise 4 - 8% by weight of a hydrotrope selected from the group consisting of sodium and ammonium salts of cumene sulfonates, toluene sulfonates, xylene sulfonates, sulfo succinates, and mixtures thereof. Such components are utilized in the interests of achieving a desired product phase stability and viscosity.

Other desirable ingredients include solvents, preservatives, dyes, and perfumes.

Solvents useful in the present invention include water and lower molecular weight alcohols, such as ethanol. Ethanol is also known to reduce the viscosity of the product, if necessary for formulation. Solvents other than water are typically present at levels of 2 - 10% by weight.

Preservatives, dyes, and perfumes can be, and usually will be formulated in the composition of the present invention to make products attractive to the consumer. These components are typically present at levels not more than 1% respectively.

- 11 -

Components which are preferably not included in the composition are those which generate precipitation upon binding with calcium ions. Examples are those which include sulfate, carboxylate, and fatty acid anions.

## EXAMPLES

The following examples illustrate the compositions of the present invention, but are not intended to be limiting thereof. All percentages and ratios are based on weight unless otherwise specified.

### Preparation

The liquid detergent compositions herein described can be made conveniently by one skilled in the art. Surfactants, hydrotropes, calcium salts, and optionally magnesium salts are added in an appropriate amount of water and are blended. In the present invention, the order of adding the components is not important. If necessary, the pH of the mixture is adjusted with HCl to a safe level for household products, and viscosity is adjusted with alcohol. Perfume, dye, and preservatives are optionally added, and the composition is balanced with water. The standard product and examples 1 - 9 are all prepared according to this method.

### Experimentation

#### 1. Solution feel

- 500g each of 6% solutions of the standard product and compositions of the present invention are prepared in a 1 liter beaker, and a porcelain crucible is soaked in the solution.
- One hand is soaked in the sample solution and the other hand is soaked in the general standard product solution at the same time, and the feel of the crucible is evaluated according to the scale as shown below.
- Evaluation is done by three special panelists, and the average score is

- 12 -

obtained.

**Evaluation scale**

- 0= There is no difference
- ± 1= I think there is a difference
- ± 2= I know there is a difference
- ± 3= I know there is a big difference
- ± 4= I know there is a very big difference

(+) : the sample has a better feel (less slippery)

(-) : the sample has a worse feel (more slippery)

For those which have higher points than the composition with the same surfactant system without calcium, it is evaluated that the "solution feel was improved".

**2. Storage Stability**

The sample is placed in a 100 ml glass container, and stored in rooms with established temperatures of -5°C and 40°C respectively. The condition of the product after 2 weeks is evaluated as follows.

clear and no change compared to before the test - O

precipitated, or cloudy - X

According to Table 1, it is understood that Examples 1, 3, 4, and 7 which are compositions of the present invention have both improved solution feel and good storage stability.

- 13 -

TABLE 1

	Standard product	1	2	3	4	5	6	7	8
Sodium C <sub>12-14</sub> alkyl ethoxy (5 ave.) sulfate	11.7	11.7	-	-	-	-	-	-	-
Ammonium C <sub>12-14</sub> alkyl ethoxy (3 ave.) sulfate	-	-	12.0	12.0	12.0	12.0	12.0	12.0	12.0
C <sub>12-14</sub> alkyl dimethyl amine oxide	3.1	3.1	3.0	3.0	3.0	3.0	3.0	3.0	3.0
C <sub>12</sub> alkyl diethanol amide	4.4	4.4	4.5	4.5	4.5	4.5	4.5	4.5	4.5
C <sub>12-14</sub> alkyl N- methyl glucoamide	-	-	5.0	5.0	5.0	5.0	-	-	-
C <sub>12</sub> alkyl ethoxy (3 ave.) alcohol	2.3	2.3	-	-	-	-	-	-	-
C <sub>9-11</sub> alkyl ethoxy (8 ave.) alcohol	-	-	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Sodium toluene sulfonate	2.3	2.3	-	-	-	-	-	-	-
Sodium cumene sulfonate	-	-	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Mg <sup>++</sup> (MgC <sub>12</sub> •7H <sub>2</sub> O)	-	-	0.7	0.5	0.36	0.1	0.7	0.5	0.1
Ca <sup>++</sup> (CaC <sub>12</sub> )	-	0.3	-	0.2	0.14	0.6	-	0.2	0.6
Ethanol	2.5	2.5	4.2	4.2	4.2	4.2	2.8	2.8	2.8
Water and other minors	bal*	bal	bal	bal	bal	bal	bal	bal	bal
Solution feel(point)	Std	+2.0	-1.38	-0.88	+0.75	+0.75	-1.38	-0.5	+0.13
(comparison example)	-	Std	-	ex.2	ex.2	ex.2	-	ex.6	ex.6
(improved points)	-	+2.0	-	+0.5	+2.13	+2.13	-	+0.88	+1.25
(evaluation)	-	0	-	0	0	0	-	0	0

\* bal = balance

- 14 -

TABLE 1  
(continued)

	Standard product	1	2	3	4	5	6	7	8	9
Storage stability (-5°C)	0	0	0	0	0	X	0	0	X	
(40°C)	0	0	0	0	0	X	0	0	X	



- 15 -

1. An aqueous hard surface detergent composition which provides improved solution feel comprising:

(1) 3 - 35% by weight of a surfactant system selected from the group consisting of anionic, nonionic, amphoteric surfactants, and mixtures thereof, comprising:

- a. at least 20% by weight alkyl ethoxy sulfate with an alkyl group of C<sub>10-16</sub> and an average of 1 - 10 moles of ethylene oxide per molecule;
- b. other anionic surfactant selected from the group consisting of alkyl benzene sulfonate, alpha-olefin sulfonate, alkyl ethoxy carboxylate, and mixtures thereof;
- c. diethanol amide with an alkyl chain of C<sub>8-20</sub>;
- d. amine oxide with an alkyl chain of C<sub>8-16</sub>; and

(2) 0.01 - 0.5% by weight calcium ion;

wherein the composition contains at least 3% by weight the alkyl ethoxy sulfate, 0 - 9% by weight the diethanol amide, and 0 - 10% by weight the amine oxide.

2. A composition according to Claim 1 comprising 0.1 - 0.5%, more preferably 0.1 - 0.3%, by weight calcium ion.

3. A composition according to Claim 1 or 2 wherein said surfactant system comprises at least 35% by weight the alkyl ethoxy sulfate.

4. A composition according to Claim 3 comprising 20 - 30% the surfactant system.

- 16 -

5. A composition according to any of Claims 1-4 wherein the alkyl ethoxy sulfate has an average of 2 - 5 moles, more preferably 2.5 - 3.5 moles, of ethylene oxide per molecule.
6. A composition according to any of Claims 1-5 comprising 4 - 7% said diethanol amide.
7. A composition according to any of Claims 1-6 comprising 2 - 5% said amine oxide.
8. A composition according to any of Claim 1-7 comprising 0.1 - 1% by weight magnesium ion.
9. A method of improving the solution feel of an aqueous hard surface detergent composition or a wash solution of an aqueous hard surface detergent composition by adding from 0.01 - 0.5% by weight calcium ion to said composition.

## INTERNATIONAL SEARCH REPORT

PCT/US 93/01156

International Application No

<b>I. CLASSIFICATION OF SUBJECT MATTER</b> (if several classification symbols apply, indicate all) <sup>6</sup>		
According to International Patent Classification (IPC) or to both National Classification and IPC Int.Cl. 5 C11D1/29; C11D1/86		
<b>II. FIELDS SEARCHED</b>		
Minimum Documentation Searched <sup>7</sup>		
Classification System	Classification Symbols	
Int.Cl. 5	C11D	
Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched <sup>8</sup>		
<b>III. DOCUMENTS CONSIDERED TO BE RELEVANT<sup>9</sup></b>		
Category <sup>10</sup>	Citation of Document, <sup>11</sup> with indication, where appropriate, of the relevant passages <sup>12</sup>	Relevant to Claim No. <sup>13</sup>
X	US,A,4 507 219 (L.J. HUGHES) 26 March 1985 see claims 1-6; examples ---	1,3-5,7
X	US,A,4 681 704 (L.W. BERNARDINO ET AL.) 21 July 1987 cited in the application see the whole document ---	1,3-5,7
X	FR,A,2 296 688 (THE PROCTER & GAMBLE CO.) 30 July 1976 cited in the application see claims ---	1,3-5,7
Y	GB,A,2 058 823 (UNILEVER) 15 April 1981 see page 1, line 20 - line 35; claims 1-4 --- -/--	1,3-8
<p><sup>10</sup> Special categories of cited documents:</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"A" document member of the same patent family</p>		
<b>IV. CERTIFICATION</b>		
Date of the Actual Completion of the International Search 07 JUNE 1993		Date of Mailing of this International Search Report 25 06 93
International Searching Authority EUR PEAN PATENT OFFICE		Signature of Authorized Officer SERBETSOGLOU A.

## III. DOCUMENTS CONSIDERED TO BE RELEVANT

(CONTINUED FROM THE SECOND SHEET)

Category *	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No.
Y	GB,A,2 078 246 (THE PROCTER & GAMBLE CO.) 6 January 1982 see the whole document ---	1,3-8
Y	GB,A,2 205 578 (KAO CORP.) 14 December 1988 see the whole document ---	1,3-8
A	GB,A,2 123 847 (THE PROCTER & GAMBLE CO.) 8 February 1984 see claims 1,3-5 ---	1,5-7
A	EP,A,0 399 752 (THE PROCTER & GAMBLE CO.) 28 November 1990 see page 3, line 9 - page 6, line 22 see page 7, line 37 - page 8, line 18 see claims ---	1,4-8
A	EP,A,0 062 371 (THE PROCTER & GAMBLE CO.) 13 October 1982 see page 4, line 12 - page 10, line 13; claim 1 ---	1,4-8
P,X	WO,A,9 206 161 (THE PROCTER & GAMBLE CO.) 16 April 1992 see claims 1,6,7; examples XI,XIII -----	1-8

**ANNEX TO THE INTERNATIONAL SEARCH REPORT  
ON INTERNATIONAL PATENT APPLICATION NO.**

US 9301156  
SA 70403

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.  
The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

07/06/93

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US-A-4507219	26-03-85	AU-B- 561794	14-05-87
		AU-A- 3182784	14-02-85
		CA-A- 1231027	05-01-88
		DE-A- 3471115	16-06-88
		EP-A, B 0151678	21-08-85
		GB-A, B 2144764	13-03-85
		JP-A- 60106892	12-06-85
US-A-4681704	21-07-87	CA-A- 1239324	19-07-88
		DE-A- 3562781	23-06-88
		EP-A, B 0157443	09-10-85
FR-A-2296688	30-07-76	AT-B- 346446	10-11-78
		AU-B- 497528	14-12-78
		AU-A- 1000576	14-07-77
		BE-A- 837342	06-07-76
		CA-A- 1052223	10-04-79
		CH-A- 603785	31-08-78
		DE-A, C 2600022	10-02-77
		GB-A- 1524441	13-09-78
		JP-C- 1353205	11-12-86
		JP-A- 51125405	01-11-76
		JP-B- 61009354	22-03-86
		NL-A- 7600072	08-07-76
		SE-B- 418865	29-06-81
		SE-A- 7600049	07-07-76
		US-A- 4133779	09-01-79
GB-A-2058823	15-04-81	None	
GB-A-2078246	06-01-82	US-A- 4316824	23-02-82
		CA-A- 1158518	13-12-83
		CA-B- 1255992	20-06-89
		JP-B- 4022960	20-04-92
		JP-A- 57074398	10-05-82
GB-A-2205578	14-12-88	JP-B- 4041718	09-07-92
		JP-A- 63277300	15-11-88
GB-A-2123847	08-02-84	CA-A- 1210299	26-08-86

EPO FORM P0479

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE INTERNATIONAL SEARCH REPORT  
ON INTERNATIONAL PATENT APPLICATION NO.**

US 9301156  
SA 70403

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.  
The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

07/06/93

Page 2

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A-0399752	28-11-90	AU-A- 5575090	22-11-90
		CA-A- 2012172	22-11-90
		CN-A- 1048059	26-12-90
		JP-A- 3031398	12-02-91
-----			
EP-A-0062371	13-10-82	CA-A- 1172130	07-08-84
		JP-A- 58011596	22-01-83
-----			
WO-A-9206161	16-04-92	AU-A- 8739691	28-04-92
		CN-A- 1061240	20-05-92
-----			

EPO FORM P0479

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82